

Refine Search

Search Results -

Terms	Documents
(plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or generat\$) near4 object\$ and synchro\$ and (dynamic\$ or run\$) and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L64

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Monday, April 10, 2006 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count
Set
Name
 result
 set

DB=TDBD; PLUR=YES; OP=ADJ

L64 (plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or generat\$) near4 object\$ and synchro\$ and (dynamic\$ or run\$) and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)

0 L64

DB=DWPI; PLUR=YES; OP=ADJ

L63 (plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or generat\$) near4 object\$ and synchro\$ and (dynamic\$ or run\$) and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)

0 L63

DB=JPAB; PLUR=YES; OP=ADJ

(plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or

<u>L62</u>	generat\$) near4 object\$ and synchro\$ and (dynamic\$ or run\$) and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)	0	<u>L62</u>
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
<u>L61</u>	(plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or generat\$) near4 object\$ and synchro\$ and (dynamic\$ or run\$) and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)	0	<u>L61</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L60</u>	L59 and (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)	8	<u>L60</u>
<u>L59</u>	L58 and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)	118	<u>L59</u>
<u>L58</u>	L57 and (dynamic\$ or run\$)	118	<u>L58</u>
<u>L57</u>	(plural\$ near4 process\$) and parallel\$ and master and slave and (creat\$ Or generat\$) near4 object\$ and synchro\$	120	<u>L57</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L56</u>	L55 and (during\$ or intermedi\$ or middl\$) near4 execu\$	0	<u>L56</u>
<u>L55</u>	L54 and (object\$ or argument\$) near4 (no\$ near4 access\$)	5	<u>L55</u>
<u>L54</u>	L53 and (creat\$ or generat\$ or produc\$) near4 (object\$ or argument\$)	40	<u>L54</u>
<u>L53</u>	l48 and (synchr\$) and (dynamic\$ or run\$)	41	<u>L53</u>
<u>L52</u>	l49 and (synchor\$) and (dynamic\$ or run\$)	0	<u>L52</u>
<u>L51</u>	L50 and (synchor\$)	0	<u>L51</u>
<u>L50</u>	L49 and (object\$ or argument\$) near4 (no\$ near4 access\$)	12	<u>L50</u>
<u>L49</u>	L48 and (job\$ or task\$)	115	<u>L49</u>
<u>L48</u>	object\$ near4 (block\$ or prevent\$) near5 (master\$ or client\$) and (object\$ near4 access\$)	163	<u>L48</u>
<u>L47</u>	l33 and l34	0	<u>L47</u>
<u>L46</u>	5832272.pn.	1	<u>L46</u>
<u>L45</u>	6253371.pn.	1	<u>L45</u>
<u>L44</u>	5999729.pn.	1	<u>L44</u>
<u>L43</u>	L42 and (dynamic\$ or run\$)	0	<u>L43</u>
<u>L42</u>	L41 and (job\$ or task\$)	1	<u>L42</u>
<u>L41</u>	L40 and (inter\$ or network\$ or intra\$)	1	<u>L41</u>
<u>L40</u>	L39 and parallel\$ and (multi\$ Or plural\$) and synchron\$	1	<u>L40</u>
<u>L39</u>	5452461.pn.	1	<u>L39</u>
<u>L38</u>	5421461.pn.	1	<u>L38</u>
<u>L37</u>	5088034.pn.	1	<u>L37</u>
<u>L36</u>	l34 and (during\$ or intermediat\$) near4 execut\$	1	<u>L36</u>
<u>L35</u>	L34 and (creat\$ or generat\$ or produc\$) near4 (object\$ Or argument\$)	0	<u>L35</u>
<u>L34</u>	5860009.pn.	1	<u>L34</u>
<u>L33</u>	5619688.pn.	1	<u>L33</u>
<u>L32</u>	L31 and (internet\$ or network\$)	0	<u>L32</u>
<u>L31</u>	l24 and (job\$ or task\$)	1	<u>L31</u>

<u>L30</u>	l24 and (job\$ or task\$) near4 schedu\$	0	<u>L30</u>
<u>L29</u>	l24 and master\$ and slave\$	0	<u>L29</u>
<u>L28</u>	L24 and client\$ and server\$	0	<u>L28</u>
<u>L27</u>	L25 and client\$ and server\$	0	<u>L27</u>
<u>L26</u>	L25 and master\$ and slave\$	0	<u>L26</u>
<u>L25</u>	L24 and parallel\$ and (multi\$ or plural\$)	1	<u>L25</u>
<u>L24</u>	5404521.pn.	1	<u>L24</u>
<u>L23</u>	L22 and l15	4	<u>L23</u>
<u>L22</u>	L20 and ((intermediat\$ or during\$ Or middle\$) near4 execut\$)	264	<u>L22</u>
<u>L21</u>	L20 and (intermediat\$ near4 execut\$)	15	<u>L21</u>
<u>L20</u>	l1 and (job\$ or task\$) near4 sched\$	588	<u>L20</u>
<u>L19</u>	L18 and l15	2	<u>L19</u>
<u>L18</u>	l3 and (job\$ or task\$) near4 sched\$	31	<u>L18</u>
<u>L17</u>	L15 and l11	0	<u>L17</u>
<u>L16</u>	L15 and l14	0	<u>L16</u>
<u>L15</u>	717/149,131,132,134,136.ccls.	714	<u>L15</u>
<u>L14</u>	L12 and execut\$ and (no\$ near4 acces\$)	19	<u>L14</u>
<u>L13</u>	L12 and (intermediat\$ or middl\$) near4 execut\$	0	<u>L13</u>
<u>L12</u>	L11 and (object\$ near4 access\$)	21	<u>L12</u>
<u>L11</u>	L10 and (object\$ or argument\$) near4 (block\$ or prevent\$)	24	<u>L11</u>
<u>L10</u>	L9 and (creat\$ or generat\$ or mak\$ or produc\$) near4 (object\$ or argument\$)	30	<u>L10</u>
<u>L9</u>	L7 and (dynamic\$ Or runtime or run-time\$ or (run near4 time\$)) same(master\$ or slave\$)	51	<u>L9</u>
<u>L8</u>	L7 and (dynamic\$ Or runtime or run-time\$ or (run near4 time\$)) near4 (master\$ near4 slave\$)	0	<u>L8</u>
<u>L7</u>	l1 and (job\$ or task\$) near4 schedu\$	588	<u>L7</u>
<u>L6</u>	L5 and (schedul\$ near4 (job\$ or task\$))	0	<u>L6</u>
<u>L5</u>	L4 and (intermediat\$ or middl\$) near4 execut\$	4	<u>L5</u>
<u>L4</u>	L3 and (block\$ or prevent\$) near5 (master\$ or client\$ or server\$) same (access\$)	23	<u>L4</u>
<u>L3</u>	L2 and synchro\$ near5 (object\$ or argumnet\$)	185	<u>L3</u>
<u>L2</u>	L1 and (creat\$ or generat\$ or mak\$ or produc\$) near4 (object\$ or argument\$)	2257	<u>L2</u>
<u>L1</u>	parallel\$ near4 (program\$ or method\$ or process\$) and (internet\$ or network\$) and (client\$ or server\$ or master\$ or slave\$)	10136	<u>L1</u>

END OF SEARCH HISTORY



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

execute and **sequential** and **parallel** and **dynamic** and **object** and **access** and **master** and **slave**

Found
71,557 of
173,942

Sort results
by



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display
results



[Search Tips](#)

[Try this search in The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [STAR/MPI: binding a parallel library to interactive symbolic algebra systems](#)

Gene Cooperman

April 1995 **Proceedings of the 1995 international symposium on Symbolic and algebraic computation**

Publisher: ACM Press

Full text available: pdf(942.11 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

3 [The Jrpm system for dynamically parallelizing Java programs](#)

Michael K. Chen, Kunle Olukotun

May 2003 **ACM SIGARCH Computer Architecture News , Proceedings of the 30th annual international symposium on Computer architecture ISCA '03**, Volume 31 Issue 2

Publisher: ACM Press

Full text available: pdf(320.42 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We describe the Java runtime parallelizing machine (Jrpm), a complete system for parallelizing sequential programs automatically. Jrpm is based on a chip multiprocessor (CMP) with thread-level speculation (TLS) support. CMPs have low sharing and communication costs relative to traditional multiprocessors, and thread-level speculation (TLS) simplifies program parallelization by allowing us to parallelize optimistically without violating correct sequential program behavior. Using a Java virtual ma ...



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((task and schedule and parallel and multi and process and dynamic)<in>metadata)"

Your search matched 14 of 1335860 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

Search >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract
 [Select All](#) [Deselect All](#)

- ☐ 1. **Low-cost task scheduling for distributed-memory machines**
Radulescu, A.; van Gemund, A.J.C.;
[Parallel and Distributed Systems, IEEE Transactions on](#)
Volume 13, Issue 6, June 2002 Page(s):648 - 658
Digital Object Identifier 10.1109/TPDS.2002.1011417
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(3657 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Flexible particle swarm optimization tasks for reconfigurable processor arrays**
Janson, S.; Middendorf, M.;
[Parallel and Distributed Processing Symposium, 2005. Proceedings, 19th IEEE International](#)
4-8 April 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/IPDPS.2005.227
[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **LLB: A fast and effective scheduling algorithm for distributed-memory systems**
Radulescu, A.; van Gemund, A.J.C.; Lin, H.-X.;
[Parallel and Distributed Processing, 1999. 13th International and 10th Symposium on Parallel and](#)
[Processing, 1999. 1999 IPPS/SPDP, Proceedings](#)
12-16 April 1999 Page(s):525 - 530
Digital Object Identifier 10.1109/IPPS.1999.760527
[AbstractPlus](#) | Full Text: [PDF\(148 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Task concurrency management methodology to schedule the MPEG4 IM1 player on a highly platform**
Chun Wong; Marchal, P.; Peng Yang;
[Hardware/Software Codesign, 2001. CODES 2001. Proceedings of the Ninth International Sympos](#)
25-27 April 2001 Page(s):170 - 175
Digital Object Identifier 10.1109/HSC.2001.924670
[AbstractPlus](#) | Full Text: [PDF\(580 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Performance evaluation of macrodataflow computation on shared memory multiprocessors**
Aida, K.; Iwasaki, K.; Kasahara, H.; Narita, S.;
[Communications, Computers, and Signal Processing, 1995. Proceedings, IEEE Pacific Rim Confer](#)
17-19 May 1995 Page(s):50 - 54